Contents

Aicher B, Tautz J: 'Peripheral inhibition' of vibration-sensitive units in the leg of fiddler crab *Uca pugilator* 49
Atkins G, Ligman S, Burghardt F, Stout JF: Changes in phonotaxis by the female cricket *Acheta domesticus* L. after killing identified acoustic interneurons 795
Baeckström P, see Mustaparta H, et al. 591
Bakke JM, see Mustaparta H, et al. 591
Bastian J, Yuthas J: The jamming avoidance response of *Eigenmannia*: properties of a diencephalic link between sensory processing and motor output 895
Bastian J, see Saunders J 199
Bender M, Gnatzy W, Tautz J: The antennal feathered hairs in the crayfish: a non-innervated stimulus transmitting system 45
Bishop PJ, see Passmore NI, et al. 189
Burghardt F, see Atkins G, et al. 795
Bowdan E: Electrophysiological responses of tarsal contact chemoreceptors of the apple maggot fly *Rhagoletis pomonella* to salt, sucrose and oviposition-deterrent pheromone 143
Boyd P, Kühne R, Silver S, Lewis B: Two-tone suppression and song coding by ascending neurones in the cricket *Gryllus campestris* L. 423
Calabrese RL, Maranto AR: Neural control of the hearts in the leech, *Hirudo medicinalis*. III. Regulation of myogenicity and muscle tension by heart accessory neurons 393
Calabrese RL, see Maranto AR 367, 381
Capranica RR, see Passmore NI, et al. 189
Capranica RR, see Rose GJ 211
Case JF, see Hiller-Adams P 307
Claas B, see Münz H, et al. 33
Claiborne BJ, Selverston AI: Localization of stomatogastric IV neuron cell bodies in lobster brain 27
Collis CS: The effects of drugs and ions on melanophore pigment movements and transmembrane potentials of stoneloach (*Noemacheilus*) 121
Constantine-Paton M, see Gorlick DL, et al. 617
Coro F, Pérez M: Intensity coding by auditory receptors in *Empyreuma pugione* (Lepidoptera, Ctenuchidae) 287
Coro F, see Pérez M 441
Cruse H, Dean J, Suilmann M: The contributions of diverse sense organs to the control of leg movement by a walking insect 695
Cugnoli C, see Schwemer J, et al. 549
Daan S, see Gänshirt G, et al. 669
Davis FC, Gorski RA: Unilateral lesions of the hamster suprachiasmatic nuclei: evidence for redundant control of circadian rhythms 221
Dean J, see Cruse H, et al. 695
Deitmer JW, Machemer H, Martinac B: Motor control in three types of ciliary organelles in the ciliate *Stylonychia* 113
Dickinson MH, Lent ChM: Feeding behavior of the medicinal leech, *Hirudo medicinalis* L. 449
Dickinson MH, see Lent ChM 457
Doherty JA, Gerhardt HC: Acoustic communication in hybrid treefrogs: sound production by males and selective phonotaxis by females 319
Doujak FE: Electrophysiological measurement of photoreceptor membrane dichroism and polarization sensitivity in a Grapsid crab 597
Dubs A, see Howard J, et al. 707
Dunham DW, Schöne H: Substrate slope and orientation in a land hermit crab, *Coenobita clypeatus* (Decapoda, Coenobitidae) 511
Ebihara S, Uchiyama K, Oshima I: Circadian organization in the pigeon, *Columba livia*: the role of the pineal organ and the eye 59
Eguchi E, Horikoshi T: Comparison of stimulus-response (V-log I) functions in five types of lepidopteran compound eyes (46 species) 3
Elepfandt, A: The role of ventral lateral line organs in water wave localization in the clawed toad (*Xenopus laevis*) 773
Erber J, see Kaulen P, et al. 569
Ewert J-P, see Laming PR 89
Finger TE, see Silver WL 167
Fleischer AB, see Miller GV, et al. 297
Fritzsch B, see Münz H, et al. 33
Fullard JH: Listening for bats: pulse repetition rate as a cue for a defensive behavior in *Cycnia tenera* (Lepidoptera: Arctiidae) 249
Gänshirt G, Daan S, Gerkema MP: Arrhythmic perch hopping and rhythmic feeding of starlings in constant light: separate circadian oscillators? 669
Gerhardt HC, see Doherty JA 319
Gerkema MP, see Gänshirt G, et al. 669
Gnatzy W, see Bender M, et al. 45
Gorlick DL, Constantine-Paton M, Kelley DB: A ^{14}C-2-deoxyglucose autoradiographic investigation of sensory inputs to the optic tectum of *Rana pipiens* 617
Gorski RA, see Davis FC 221
Govardovskiĭ VI, Lychakov DV: Visual cells and visual pigments of the lamprey, *Lampetra fluviatilis* 279
Hardie RC: Properties of photoreceptors R7 and R8 in dorsal marginal ommatidia in the compound eyes of *Musca* and *Calliphora* 157
Hateren JH van: Waveguide theory applied to optically measured angular sensitivities of fly photoreceptors 761
Hatt H, Schmiedel-Jakob I: Electrophysiological studies of pyridine-sensitive units on the crayfish walking leg. I. Characteristics of stimulatory molecules 855
Hedwig B, Pearson KG: Patterns of synaptic input to identified flight motoneurons in the locust 745
Heiligenberg W, see Meyer JM, et al. 625
Helversen D von: Parallel processing in auditory pattern recognition and directional analysis by the grasshopper *Chorthippus biguttulus* L. (Acrididae) 837
Hess BJM, see Knöpfel T, et al. 233
Hiller-Adams P, Case JF: Optical parameters of euphausiid eyes as a function of habitat depth 307
Hisada M, see Nagayama T, et al. 499
Holmes RM, Johnstone BM: Gross potentials recorded from the cochlea of the skink *Tiliqua rugosa*. I. Characterization of evoked responses with regard to morphology 719
Holmes RM, Johnstone BM: Gross potentials recorded from the cochlea of the skink *Tiliqua rugosa*. II. Increases in metabolic rate and hearing responsiveness during austral spring 729
Homberg U: Processing of antennal information in extrinsic mushroom body neurons of the bee brain 825
Homma K, see Ohta M, et al. 583
Horikoshi T, see Eguchi E 3
Horn E, Knapp A: On the invariance of visual stimulus efficacy with respect to variable spatial positions. Behavioural investigations with flies (*Calliphora erythrocephala*) 555
Howard J, Dubs A, Payne R: The dynamics of phototransduction in insects. A comparative study 707
Huber F, see Pollack GS, et al. 13
Hutchings M, Lewis B: The role of two-tone suppression in song coding by ventral cord neurones in the cricket *Teleogryllus oceanicus* (Le Guillou) 103
Illnerová H, Vaněček J: Circadian rhythm in inducibility of rat pineal N-acetyltransferase

Contents

Aicher B, Tautz J: 'Peripheral inhibition' of vibration-sensitive units in the leg of fiddler crab *Uca pugilator* 49
Atkins G, Ligman S, Burghardt F, Stout JF: Changes in phonotaxis by the female cricket *Acheta domesticus* L. after killing identified acoustic interneurons 795
Baeckström P, see Mustaparta H, et al. 591
Bakke JM, see Mustaparta H, et al. 591
Bastian J, Yuthas J: The jamming avoidance response of *Eigenmannia*: properties of a diencephalic link between sensory processing and motor output 895
Bastian J, see Saunders J 199
Bender M, Gnatzy W, Tautz J: The antennal feathered hairs in the crayfish: a non-innervated stimulus transmitting system 45
Bishop PJ, see Passmore NI, et al. 189
Burghardt F, see Atkins G, et al. 795
Bowdan E: Electrophysiological responses of tarsal contact chemoreceptors of the apple maggot fly *Rhagoletis pomonella* to salt, sucrose and oviposition-deterrent pheromone 143
Boyd P, Kühne R, Silver S, Lewis B: Two-tone suppression and song coding by ascending neurones in the cricket *Gryllus campestris* L. 423
Calabrese RL, Maranto AR: Neural control of the hearts in the leech, *Hirudo medicinalis*. III. Regulation of myogenicity and muscle tension by heart accessory neurons 393
Calabrese RL, see Maranto AR 367, 381
Capranica RR, see Passmore NI, et al. 189
Capranica RR, see Rose GJ 211
Case JF, see Hiller-Adams P 307
Claas B, see Münz H, et al. 33
Claiborne BJ, Selverston AI: Localization of stomatogastric IV neuron cell bodies in lobster brain 27
Collis CS: The effects of drugs and ions on melanophore pigment movements and transmembrane potentials of stoneloach (*Noemacheilus*) 121
Constantine-Paton M, see Gorlick DL, et al. 617
Coro F, Pérez M: Intensity coding by auditory receptors in *Empyreuma pugione* (Lepidoptera, Ctenuchidae) 287
Coro F, see Pérez M 441
Cruse H, Dean J, Suilmann M: The contributions of diverse sense organs to the control of leg movement by a walking insect 695
Cugnoli C, see Schwemer J, et al. 549
Daan S, see Gänshirt G, et al. 669
Davis FC, Gorski RA: Unilateral lesions of the hamster suprachiasmatic nuclei: evidence for redundant control of circadian rhythms 221
Dean J, see Cruse H, et al. 695
Deitmer JW, Machemer H, Martinac B: Motor control in three types of ciliary organelles in the ciliate *Stylonychia* 113
Dickinson MH, Lent ChM: Feeding behavior of the medicinal leech, *Hirudo medicinalis* L. 449
Dickinson MH, see Lent ChM 457
Doherty JA, Gerhardt HC: Acoustic communication in hybrid treefrogs: sound production by males and selective phonotaxis by females 319
Doujak FE: Electrophysiological measurement of photoreceptor membrane dichroism and polarization sensitivity in a Grapsid crab 597
Dubs A, see Howard J, et al. 707
Dunham DW, Schöne H: Substrate slope and orientation in a land hermit crab, *Coenobita clypeatus* (Decapoda, Coenobitidae) 511
Ebihara S, Uchiyama K, Oshima I: Circadian organization in the pigeon, *Columba livia*: the role of the pineal organ and the eye 59
Eguchi E, Horikoshi T: Comparison of stimulus-response (V-log I) functions in five types of lepidopteran compound eyes (46 species) 3
Elepfandt, A: The role of ventral lateral line organs in water wave localization in the clawed toad (*Xenopus laevis*) 773
Erber J, see Kaulen P, et al. 569
Ewert J-P, see Laming PR 89
Finger TE, see Silver WL 167
Fleischer AB, see Miller GV, et al. 297
Fritzsch B, see Münz H, et al. 33
Fullard JH: Listening for bats: pulse repetition rate as a cue for a defensive behavior in *Cycnia tenera* (Lepidoptera: Arctiidae) 249
Gänshirt G, Daan S, Gerkema MP: Arrhythmic perch hopping and rhythmic feeding of starlings in constant light: separate circadian oscillators? 669
Gerhardt HC, see Doherty JA 319
Gerkema MP, see Gänshirt G, et al. 669
Gnatzy W, see Bender M, et al. 45
Gorlick DL, Constantine-Paton M, Kelley DB: A ^{14}C-2-deoxyglucose autoradiographic investigation of sensory inputs to the optic tectum of *Rana pipiens* 617
Gorski RA, see Davis FC 221
Govardovskiĭ VI, Lychakov DV: Visual cells and visual pigments of the lamprey, *Lampetra fluviatilis* 279
Hardie RC: Properties of photoreceptors R7 and R8 in dorsal marginal ommatidia in the compound eyes of *Musca* and *Calliphora* 157
Hateren JH van: Waveguide theory applied to optically measured angular sensitivities of fly photoreceptors 761
Hatt H, Schmiedel-Jakob I: Electrophysiological studies of pyridine-sensitive units on the crayfish walking leg. I. Characteristics of stimulatory molecules 855
Hedwig B, Pearson KG: Patterns of synaptic input to identified flight motoneurons in the locust 745
Heiligenberg W, see Meyer JM, et al. 625
Helversen D von: Parallel processing in auditory pattern recognition and directional analysis by the grasshopper *Chorthippus biguttulus* L. (Acrididae) 837
Hess BJM, see Knöpfel T, et al. 233
Hiller-Adams P, Case JF: Optical parameters of euphausiid eyes as a function of habitat depth 307
Hisada M, see Nagayama T, et al. 499
Holmes RM, Johnstone BM: Gross potentials recorded from the cochlea of the skink *Tiliqua rugosa*. I. Characterization of evoked responses with regard to morphology 719
Holmes RM, Johnstone BM: Gross potentials recorded from the cochlea of the skink *Tiliqua rugosa*. II. Increases in metabolic rate and hearing responsiveness during austral spring 729
Homberg U: Processing of antennal information in extrinsic mushroom body neurons of the bee brain 825
Homma K, see Ohta M, et al. 583
Horikoshi T, see Eguchi E 3
Horn E, Knapp A: On the invariance of visual stimulus efficacy with respect to variable spatial positions. Behavioural investigations with flies (*Calliphora erythrocephala*) 555
Howard J, Dubs A, Payne R: The dynamics of phototransduction in insects. A comparative study 707
Huber F, see Pollack GS, et al. 13
Hutchings M, Lewis B: The role of two-tone suppression in song coding by ventral cord neurones in the cricket *Teleogryllus oceanicus* (Le Guillou) 103
Illnerová H, Vaněček J: Circadian rhythm in inducibility of rat pineal N-acetyltransferase

after brief light pulses at night: control by a morning oscillator 739
Itoku KA, see Miller GV, et al. 297
Jen PH, Sun X, Kamada T, Zhang S, Shimozawa T: Auditory response properties and spatial response areas of superior collicular neurons of the FM bat, *Eptesicus fuscus* 407
Johnstone BM, see Holmes RM 719, 729
Kamada T, see Jen PH, et al. 407
Kanou M, Shimozawa T: A threshold analysis of cricket cercal interneurons by an alternating air-current stimulus 357
Kaulen P, Erber J, Mobbs P: Current source-density analysis in the mushroom bodies of the honeybee (*Apis mellifera carnica*) 569
Kelley DB, see Gorlick DL, et al. 617
Kick SA, see Simmons JA, et al. 347
Kihara A, Kuwasawa K: A neuroanatomical and electrophysiological analysis of nervous regulation in the heart of an isopod crustacean, *Bathynomus doederleini* 883
Kirschfeld K, see Minke B 175
Kirschfeld K, see Zhu H 153
Knapp A, see Horn E 555
Knöpfel T, Hess BJM, Precht W: Responses of frog trochlear motoneurons to linear acceleration 233
Komatsu A: Ascending interneurons that convey a respiratory signal in the central nervous system of the dragonfly larva 331
Kramer E, see Preiss R 493
Kreuzer RO, Sivak JG: Spherical aberration of the fish lens: interspecies variation and age 415
Kühne R, see Boyd P, et al. 423
Kuwasawa K, see Kihara A 883
Kuwasawa K, see Yazawa T 871
Laming PR, Ewert J-P: Visual unit, EEG and sustained potential shift responses to biologically significant stimuli in the brain of toads (*Bufo bufo*) 89
Land MF: The resolving power of diurnal superposition eyes measured with an ophthalmoscope 515
Langer H, see Schwind R, et al. 341
Lawrence BD, see Simmons JA, et al. 347
Lent ChM, Dickinson MH: Serotonin integrates the feeding behavior of the medicinal leech 457
Lent ChM, see Dickinson MH 449
Leucht T: Responses to light under varying magnetic conditions in the honeybee, *Apis mellifica* 865
Lewis B, see Boyd P, et al. 423
Lewis B, see Hutchings M 103
Ligman S, see Atkins G, et al. 795
Lychakov DV, see Govardovski VI 279
Macdonald JA, see Montgomery JC 241
Machemer H, Machemer-Röhnisch S: Mechanical and electric correlates of mechanoreceptor activation of the ciliated tail in *Paramecium* 273
Machemer H, see Deitmer JW, et al. 113
Machemer H, see Machemer-Röhnisch S 263
Machemer-Röhnisch S, Machemer H: Receptor current following controlled stimulation of immobile tail cilia in *Paramecium caudatum* 263
Machemer-Röhnisch S, see Machemer H 273
Maranto AR, Calabrese RL: Neural control of the hearts in the leech, *Hirudo medicinalis*. I. Anatomy, electrical coupling, and innervation of the hearts 367
Maranto AR, Calabrese RL: Neural control of the hearts in the leech, *Hirudo medicinalis*. II. Myogenic activity and its control by heart motor neurons 381
Maranto AR, see Calabrese LR 393
Martinac B, see Deitmer JW, et al. 113
Meinecke CC, see Necker R 817
Menacker M, see Takahashi JS 435
Meyer JH: Steroid influences upon discharge frequencies of intact and isolated pacemakers of weakly electric fish 659
Meyer JH, Zakon HH, Heiligenberg W: Steroid influences upon the electrosensory system of weakly electric fish: direct effects upon discharge frequencies with indirect effects upon electroreceptor tuning 625
Milde JJ: Ocellar interneurons in the honeybee. Structure and signals of L-neurons 683
Miller GV, Itoku KA, Fleischer AB, Stark WS: Studies of fluorescence in *Drosophila* compound eyes: changes induced by intense light and vitamin A deprivation 297
Minke B, Kirschfeld K: Non-local interactions between light induced processes in *Calliphora* photoreceptors 175
Mobbs P, see Kaulen P, et al. 569
Montgomery JC, Macdonald JA: Performance of motor systems in Antarctic fishes 241
Moulins M, see Robertson RM 473
Münz H, Claas B, Fritzsch B: Electroreceptive and mechanoreceptive units in the lateral line of the axolotl *Ambystoma mexicanum* 33
Mustaparta H, Tømmerås BÅ, Baeckström P, Bakke JM, Ohloff G: Ipsdienol-specific receptor cells in bark beetles: structure-activity relationships of various analogues and of deuterium-labelled ipsdienol 591
Nagayama T, Takahata M, Hisada M: Functional characteristics of local non-spiking interneurons as the pre-motor elements in crayfish 499
Necker R, Meinecke CC: Conduction velocities and fiber diameters in a cutaneous nerve of the pigeon 817
Neuweiler G, Singh S, Sripathi K: Audiograms of a South Indian bat community 133
Ohloff G, see Mustaparta H, et al. 591
Ohta M, Wada M, Homma K: Induction of rapid testicular growth in Japanese quail by phasic electrical stimulation of the hypothalamic photosensitive area 583
Oshima I, see Ebihara S, et al. 59
Passmore NI, Capranica RR, Telford SR, Bishop PJ: Phonotaxis in the painted reed frog (*Hyperolius marmoratus*). The localization of elevated sound sources 189
Paulsen R, see Schwemer J, et al. 549
Payne R, see Howard J, et al. 707
Pearson KG, see Hedwig B 745
Pepe IM, see Schwemer J, et al. 549
Pérez M, Coro F: Physiological characteristics of the tympanic organ in noctuoid moths. I. Responses to brief acoustic pulses 441
Pérez M, see Coro F 287
Peterson EL: The fast conducting system of the leech: a network of 93 dye-coupled interneurons 781
Pollack GS, Huber F, Weber T: Frequency and temporal pattern-dependent phonotaxis of crickets (*Teleogryllus oceanicus*) during tethered flight and compensated walking 13
Popov AV, see Rozhkova GI, et al. 805
Poussin C, Schlegel P: Directional sensitivity of auditory neurons in the superior colliculus of the bat, *Eptesicus fuscus*, using free field sound stimulation 253
Precht W, see Knöpfel T, et al. 233
Preiss R, Kramer E: The interaction of edge-fixation and negative phototaxis in the orientation of walking gypsy moths, *Lymantria dispar* 493
Ritzmann RE, see Tobias ML 633, 641
Robertson RM, Moulins M: Oscillatory command input to the motor pattern generators of the Crustacean stomatogastric ganglion. II. The gastric rhythm 473
Rodda GH: The orientation and navigation of juvenile alligators: evidence of magnetic sensitivity 649
Rodionova HI, see Rozhkova GI, et al. 805
Rose GJ, Capranica RR: Processing amplitude-modulated sounds by the auditory midbrain of two species of toads: matched temporal filters 211
Rossel S, Wehner R: How bees analyse the polarization patterns in the sky. Experiments and model 607
Rozhkova GI, Rodionova HI, Popov AV: Two types of information processing in cercal systems of insects: directional sensitivity of giant interneurons 805
Saunders DS: Photoperiodic time measurement in *Sarcophaga argyrostoma:* An attempt to use daily temperature cycles to distinguish external from internal coincidence 789
Saunders J, Bastian J: The physiology and morphology of two types of electrosensory neurons in the weakly electric fish *Apteronotus leptorhynchus* 199
Schildberger K: Multimodal interneurons in the cricket brain: properties of identified extrinsic mushroom body cells 71
Schlecht P, see Schwind R, et al. 341
Schlegel P, see Poussin C 253
Schmidt RS: Neural correlates of frog calling: preoptic area trigger of 'mating calling' 847
Schmiedel-Jakob I, see Hatt H 855
Schöne H, see Dunham DW 511
Schwemer J: Renewal of visual pigment in photoreceptors of the blowfly 535
Schwemer J, Pepe IM, Paulsen R, Cugnoli C: Light-induced *trans-cis* isomerization of retinal by a protein from honeybee retina 549
Schwind R: Evidence for true polarization vision based on a two-channel analyzer system in the eye of the water bug, *Notonecta glauca* 53

Schwind R, Schlecht P, Langer H: Microspectrophotometric characterization and localization of three visual pigments in the compound eye of *Notonecta glauca* L. (Heteroptera) 341
Selverston AI, see Claiborne BJ 27
Semm P, Vollrath L: Electrical responses of homing pigeon and guinea pig Purkinje cells to pineal indoleamines applied by microelectrophoresis 675
Shimozawa T, see Jen PH, et al. 407
Shimozawa T, see Kanou M 357
Silver S, see Boyd P, et al. 423
Silver WL, Finger TE: Electrophysiological examination of a non-olfactory, non-gustatory chemosense in the searobin, *Prionotus carolinus* 167
Simmons JA, Kick SA, Lawrence BD: Echolocation and hearing in the mouse-tailed bat, *Rhinopoma hardwickei:* acoustic evolution of echolocation in bats 347
Singh S, see Neuweiler G, et al. 133
Sivak JG, see Kreuzer RO 415
Somlyo AP, see Walz B 81
Sripathi K, see Neuweiler G, et al. 133
Stark WS, see Miller GV, et al. 297
Stout JF, see Atkins G, et al. 795
Suilmann M, see Cruse H, et al. 695
Sun X, see Jen PH, et al. 407
Takahashi JS, Menaker M: Multiple redundant circadian oscillators within the isolated avian pineal gland 435
Takahata M, see Nagayama T, et al. 499
Tautz J, see Aicher B 49
Tautz J, see Bender M, et al. 45
Telford SR, see Passmore NI, et al. 189
Theophilidis G: Propagation failure of action potentials at the bifurcation point of the slow axon innervating the extensor tibiae muscle of *Decticus albifrons* (Orthoptera) 431
Tobias ML, Ritzmann RE: Responses of mesothoracic motor neurons to giant interneuron stimulation in the cockroach 633
Tobias ML, Ritzmann RE: Effect of metathoracic leg ablation upon mesothoracic motor responses to giant interneuron stimulation in the cockroach 641
Tømmerås BÅ, see Mustaparta H, et al. 591
Uchiyama K, see Ebihara S, et al. 59
Vaněček J, see Illnerová H 739
Vollrath L, see Semm P 675
Wada M, see Ohta M, et al. 583
Walz B, Somlyo AP: Quantitative electron probe microanalysis of leech photoreceptors 81
Weber T, see Pollack GS, et al. 13
Wehner R, see Rossel S 607
Yazawa T, Kuwasawa K: The cardio-regulator nerves of the hermit crabs: anatomical and electrophysiological identification of their distribution inside the heart 871
Yuthas J, see Bastian J 895
Zakon HH, see Meyer JM, et al. 625
Zhang S, see Jen PH, et al. 407
Zhu H, Kirschfeld K: Protection against photodestruction in fly photoreceptors by carotenoid pigments 153

Indexed in Current Contents